

In the Claims:


This listing of claims will replace all prior versions and listings of the claims.

1 – 15. **(Canceled).**

16. **(Currently amended)** A catalytic system comprising:

(a) a strongly acidic ion-exchange resin polymeric catalyst, and

(b) a (co)oligomerization additive of general formula (2)



wherein:

E represents an element of group 16;

R¹ represents a hydrogen or deuterium atom;

R² represents a hydrogen or deuterium atom, or a group of formula -E₁₄(R₁₄)(R'₁₄)(R''₁₄);

wherein:

E₁₄ is an element of group 14;

R₁₄, R'₁₄ and R''₁₄ represent, independently, a hydrogen atom; a deuterium atom;

or a substituted or non-substituted alkyl, cycloalkyl or aryl,

wherein said substituent or substituents comprise: halos,

hydroxys, alkyls, alkoxys, cycloalkyls, cycloalkoxys, aryls, aryloxys, carboxys,

alkoxycarbonyls, cycloalkoxycarbonyls and aryloxycarbonyls or mixtures thereof;

for the (co)oligomerization of one or more lactide and/or glycolide monomer(s) by ring opening

wherein the quantity of the one or more lactide and/or glycolide monomer(s) relative to

the quantity of (co)oligomerization additive ranges from 2 to 30 molar equivalents.

17. **(Canceled).**

18. **(Currently amended)** The catalytic system of claim 16, wherein the quantity of monomer(s) relative to the quantity of (co)oligomerization additive ranges from 4 to 10 molar equivalents.
19. **(Previously presented)** The catalytic system of claim 16, wherein the polymeric catalyst comprises a styrene and divinylbenzene-based macroreticular resin with sulfonic acid functions.
20. **(Previously presented)** The catalytic system of claim 16, wherein the polymeric catalyst comprises a macroreticular Amberlyst® or Dowex® resin.
21. **(Previously presented)** The catalytic system of claim 20, wherein the polymeric catalyst comprises an Amberlyst® resin.
22. **(Previously presented)** The catalytic system of claim 16, wherein the compound of general formula (2) is such that
- E represents an oxygen or sulfur atom;
- R¹ represents a hydrogen atom;
- R² represents a hydrogen atom or a group of formula -E₁₄(R₁₄)(R'₁₄)(R''₁₄);
- wherein E₁₄ is a carbon or silicon atom;
- R₁₄, R'₁₄, and R''₁₄ represent, independently, a hydrogen atom, or substituted or non-substituted alkyl, cycloalkyl or aryl,
- wherein said substituent or substituents comprise: halos, alkyls, cycloalkyls, phenyls, naphthyls, carboxys and alkoxy carbonyls or mixtures thereof.
23. **(Previously presented)** The catalytic system of claim 16, wherein the compound of general formula (2) is such that
- E represents an oxygen atom;
- R¹ represents a hydrogen atom;

R^2 represents a hydrogen atom or a group of formula $-E_{14}(R_{14})(R'_{14})(R''_{14})$;

wherein E_{14} is a carbon atom;

R_{14} , R'_{14} , and R''_{14} represent, independently, a hydrogen atom, or a substituted or non-substituted alkyl radical

wherein said substituent or substituents comprise: alkyls, carboxys, and alkoxycarbonyls, or mixtures thereof.

24. **(Previously presented)** The catalytic system of claim 16, wherein the compound of general formula (2) is such that

E represents an oxygen atom;

R^1 represents a hydrogen atom;

R^2 represents a hydrogen atom or a group of formula $-E_{14}(R_{14})(R'_{14})(R''_{14})$

wherein E_{14} represents a carbon atom and

R_{14} , R'_{14} , and R''_{14} represent, independently, a hydrogen atom or an alkyl radical.

25. **(Currently Amended)** The catalytic system of claim 16, wherein the compound of general formula (2) comprises a water or an alcohol.

26. **(Previously presented)** The catalytic system of claim 25, wherein the alcohol is an aliphatic alcohol.

27. **(Previously presented)** The catalytic system of claim 26, wherein the aliphatic alcohol is isopropanol, pentan-1-ol, dodecan-1-ol, or mixtures thereof.

28 – 32. **(Withdrawn)**.

33 **(New)** The catalytic system of claim 16, wherein the catalytic system is free of metallic catalyst.